

Class 1

# Heirloom Sentinel Tapware 100 Care Series

Product Disclosure Information Self-Assessment

Version: V2

<b>Product name</b>	Heirloom Sentinel Tapware 100 Care Series
<b>Product line</b>	A range of taps suitable for care and ambulant applications.
<b>Product identifier</b>	Product codes and descriptions: Series 101 Care Basin Mixer: TC101BM; Series 102 Care Basin Mixer: TC102BM

## Product description

A range of taps with extended lever handles and hot / cold markings suitable for care and ambulant applications.

## Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2, G1.3.4

G12 Water Supplies — G12.3.5

## Contributions to compliance

B.2.3.1(c) 10 year warranty for manufacturing defects. 5 Year warranty on ceramic cartridges. 12 month warranty on washers, O rings and other perishable components.

Kerox cartidges.

F.2.3.1 Refer to the material safety data sheets and any installation and maintenance instructions.

G.1.3.2 Easy to clean surfaces to avoid harbouring dirt or germs.

WELS certified 6.5L/m.

Watermark certified.

## Scope of use

Indoor care and ambulant applications where an extended lever handle tap is required for easier operation. Suitable for domestic and commercial uses.

## Conditions of use

Installation by a registered plumber and in compliance with installation instructions.

Suitable for mains water supply.

## Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Heirloom 101 Series Care Taps (Design, Installation, Maintenance, Warranty, Certification, Test results)	V1	<a href="https://heirloom.co.nz/downloads/installation-instructions-i6bfj.pdf">https://heirloom.co.nz/downloads/installation-instructions-i6bfj.pdf</a>

## Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Ningbo Longfa I & E Corporation Ltd
Legal and trading name of importer	Heirloom International Limited
Importer address for service	3 Analie Place Auckland 2013
Importer website	<a href="http://www.heirloom.co.nz">www.heirloom.co.nz</a>
Importer NZBN	9429039433107
Importer email	<a href="mailto:info@heirloom.co.nz">info@heirloom.co.nz</a>
Importer phone number	09 274 4443

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

---

## Appendix

### BPIR Ready selections

Category: Sanitary fixtures and appliances [legacy category]

	Yes	No
Suitable for Accessible facilities	x	
Provision of hot water	x	

### Building code performance clauses

All relevant building code performance clauses listed in this document:

#### B2 Durability

##### B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

#### F2 Hazardous building materials

##### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

#### G1 Personal Hygiene

##### G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

##### G1.3.4

Personal hygiene facilities provided for *people with disabilities* shall be *accessible*

## G12 Water Supplies

### G12.3.5

*Sanitary fixtures* and *sanitary appliances* must be provided with hot water when intended to be used for

- a. utensil washing; and
- b. personal washing, showering, or bathing.